

Control Unit with 7" touch screen for treadmill



Multifunctionality



Multifunctionality

The treadmill can be controlled with a control unit with touch screen. The readout of this control unit is available in more than 15 languages. Various parameters can be visualized: - actual and target angle; - actual and target speed; - distance; - time; - energy; - mode; - height; - heartrate (only available in combination with the HR option); - BPM (only in combination with the BPM option); - SpO2 (only in combination with the SpO2 option).

Multifunctional

The treadmill can be used in various ergometry fields, like cardiology, pulmonary function, rehabilitation, sports medicine and physiotherapy, as a stand alone unit or controlled by other equipment.

Easy to operate

For Lode products this means:

- easy to connect
- easy to move around
- easy user interface

High standards

Lode is a socially and environmentally responsible company. All Lode products are RoHS/WEE compliant and Lode is ISO 9001:2015, and ISO 13485:2016 certified. All medical products comply to MDD 93/42/EEC, incl. IEC 60601-1.

**0.1
km/h**

Small adjustment steps

The speed of the treadmill can be adjusted in the smallest steps of only 0.1 km/h!



Original Accessory

Accessory designed and manufactured according to the Lode company quality standards



Versatile Interfacing

Various interface protocols guarantee perfect communication with all commonly known stress ECG and spirometry equipment



Robust design

The product is designed to withstand continuous heavy use by subjects in most weights and sizes.

Specifications

User Interface

Connectivity



Control Unit with 7" touch screen for treadmill

Original
Quality
Option

Multifunctionality

Croatian user interface	✓
Czech user interface	✓
Danish user interface	✓
Dutch user interface	✓
Finnish user interface	✓
French user interface	✓
German user interface	✓
Greek user interface	✓
Hungarian user interface	✓
Italian user interface	✓
Japanese user interface	✓
Korean user interface	✓
Latvian user interface	✓
Lithuanian user interface	✓
Norwegian user interface	✓
Polish user interface	✓
Portugese user interface	✓
Romanian user interface	✓
Russian user interface	✓
Spanish user interface	✓
Swedish user interface	✓
Turkish user interface	✓
Ukrainian user interface	✓
Readout Angle	✓
Readout Target Angle	✓
Readout Distance	✓
Readout Speed	✓
Readout Target Speed	✓
Readout Heartrate	✓
Readout Energy	✓
Readout Time	✓
Readout Mode	✓
Readout Height	✓
Readout BPM	✓
Readout SpO2	✓
Manual operation mode	✓
Quick start operation mode	✓

"Woodway" interface protocol	✓
"Trackmaster" interface protocol	✓
"GE" interface protocol	✓

Dimensions

Screen resolution	800 x 240 pixels	
Product depth (cm)	10 cm	3.9 inch
Product length (cm)	24 cm	9.4 inch
Product width (cm)	18 cm	7.1 inch

Order info

Partnumber: 945814

**Specifications are subject to change without notice.*